


MASONITE® HD FLUSH 6'8"-7'0"

MASONITE™ SPEC



9			5
	Α	29-3/4"	
8.9			2'6"
9			2
	^	24 2/4"	+
= .	Α	31-3/4"	┥₌╷╽
8.9			2'8"
			1
	Α	33-3/4"	
8.9			2'10"
9			2
	Α	35-3/4"	
8.9			3'0"
9			3
			1

23-3/4"

∞


- 1. Overall Length and Width Dimensions are +/- 1/16 inch
- 2. Available as 83" length.

*Available as Prem Spec



MASONITE® HD 1-PANEL ARCHED 6'8"

MASONITE™ SPEC



8.9	В	4-3/8"	2'8"	
9			2'	
	Α	33-3/4"	_	
8.9	В	5-3/8"	[0]	
9			2'10"	
	Α	35-3/4"		
8.9	В	6-3/8"	3'0"	
9			3.	
			-	
			1	
		L DOORS	CTEEL D	00DC
		IINUTE RATED DOORS	SIEEL L	JOUKS
EL-EDGE 90-MINUTE RATED STEEL DOORS				

31-3/4"

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec

www.masonite.com


© 2017 Masonite International Corporation. All Rights Reserved. Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-HD-1P ARC-68 002 Revision: B



MASONITE® HD 2-PANEL SQUARE-TOP 6'8-7'-0"

MASONITE™ SPEC*



	Α	31-3/4"	
8.9	В	4-5/16"	2'8"
9			2'
	Α	33-3/4"	
8.9	В	5-5/16"	2'10"
9			2'1
	Α	35-3/4"	
8.9	В	6-5/16"	3'0"
9			3
			1
			1
			1
			†
			1

Options:

MASONITE® HD WOOD-EDGE STEEL DOORS

MASONITE® HD WOOD-EDGE 20-MINUTE RATED STEEL DOORS

MASONITE® HD STEEL-EDGE STEEL DOORS

MASONITE® HD STEEL-EDGE 90-MINUTE RATED STEEL DOORS

Note

- 1. Overall Length and Width Dimensions are +/- 1/16 inch
- 2. Available as 83" length, 12-3/4" bottom panel, in 3'-0" width only

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.


Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-HD-2P SQUR TP-68 003



MASONITE® 2-PANEL HOLLISTER® 6'8"-7'0"

MASONITE™ SPEC*



	Α	31-3/4"	
8.9			2'8"
9			7
	Α	33-3/4"	_
8.9			2'10"
9			2.
	Α	35-3/4"	_
8.9			3'0"
9			\sim
			1
			1
			1
			1
	l		L

Options:

MASONITE® HD WOOD-EDGE STEEL DOORS

MASONITE® HD WOOD-EDGE 20-MINUTE RATED STEEL DOORS

MASONITE® HD STEEL-EDGE STEEL DOORS

MASONITE® HD STEEL-EDGE 90-MINUTE RATED STEEL DOORS

Note

- 1. Overall Length and Width Dimensions are +/- 1/16 inch
- 2. Available as 83" length, 12-3/8" bottom panel, in 3'-0" width only

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.


Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-HD-2P HLSTR-68 004



MASONITE® HD 2-PANEL CAMBER-TOP 6'8"

MASONITE™ SPEC*



	Α	31-3/4"	
8.9	В	4-5/16"	2'8"
9			2,
	Α	33-3/4"	
8.9	В	5-5/16"	0]
9			2'10"
	Α	35-3/4"	
8.9	В	6-5/16"	3'0"
-9			3
			-
			_
]
			_

MASONITE® HD WOOD-EDGE STEEL DOORS

MASONITE® HD WOOD-EDGE 20-MINUTE RATED STEEL DOORS

MASONITE® HD STEEL-EDGE STEEL DOORS

MASONITE® HD STEEL-EDGE 90-MINUTE STEEL DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec

www.masonite.com


© 2017 Masonite International Corporation. All Rights Reserved. Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-HD-2P CMBR TP-68 005 Revision: B



MASONITE® 3-PANEL ARCH TOP 6'8"

MASONITE™ SPEC*



	Α	31-3/4"	
_			┨
.8.9	В	4-5/16"	2'8"
9			7
	Α	33-3/4"	
1.8.9	В	5-5/16"	2'10"
9			2'1
	Α	35-3/4"	
1.8.9	В	6-5/16"	3'0"
9			3'
			1
			1
			1
L			

Options:

MASONITE® WOOD-EDGE STEEL DOORS

MASONITE® WOOD-EDGE 20-MINUTE RATED STEEL DOORS

MASONITE® STEEL-EDGE STEEL DOORS

MASONITE® STEEL-EDGE 90-MINUTE RATED STEEL DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.


Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-HD-3P ARCH TP-68 006



MASONITE® HD 3-PANEL CRAFTSMAN 6'8"

MASONITE™ SPEC*



	Α	31-3/4"	
8.9			2'8"
9			2'5
	Α	33-3/4"	_
8.9			2'10"
9			2'
_	Α	35-3/4"	_
1.8.9			3'0"
9			(7)
			_
			1
			-
			_

Options:

MASONITE® HD WOOD-EDGE STEEL DOORS

MASONITE® HD WOOD-EDGE 20-MINUTE RATED STEEL DOORS

MASONITE® HD STEEL-EDGE STEEL DOORS

MASONITE® HD STEEL-EDGE 90-MINUTE RATED STEEL DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec


www.masonite.com

Filename: TM-HD-3P CRFT-68 007 Revision: B



MASONITE® HD 3-PANEL EQUAL 6'8"-7'0"

MASONITE™ SPEC*



	Α	31-3/4"	
8.9	В	4-3/8"	2'8"
9			2
	Α	33-3/4"	
8.9	В	5-3/8"	0
9			2'10"
	Α	35-3/4"	
8.9	В	6-3/8"	3'0"
9			3
			1
		-	

Options:

MASONITE® HD WOOD-EDGE STEEL DOORS

MASONITE® HD WOOD-EDGE 20-MINUTE RATED STEEL DOORS

MASONITE® HD STEEL-EDGE STEEL DOORS

MASONITE® HD STEEL-EDGE 90-MINUTE RATED STEEL DOORS

Note

- 1. Overall Length and Width Dimensions are +/- 1/16 inch
- 2. Available as 83" length, 12-7/8" bottom panel, in 3'-0" width only

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.


Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-3P EQL-68 008



MASONITE® HD 4-PANEL BLANK TOP 6'8"-7'0"

MASONITE™ SPEC*



A 31-3/4" B 4-3/8" A 33-3/4" B 5-3/8" A 35-3/4" B 6-3/8" C 101, C				1
A 33-3/4" B 5-3/8" O		Α	31-3/4"	
A 33-3/4" B 5-3/8" C 7 A 35-3/4"	= 8	В	4-3/8"	=∞
A 35-3/4"	9			2.5
A 35-3/4"				
A 35-3/4"		Α	33-3/4"	
A 35-3/4"	=	В	5-3/8"	0.
A 35-3/4"	9			2'1
A 35-3/4" B 6-3/8" O M				
B 6-3/8" OE		А	35-3/4"	
3.3	=	В	6-3/8"	 0
	9			3.
				_
				1

Options:

MASONITE® HD WOOD-EDGE STEEL DOORS MASONITE® HD STEEL-EDGE STEEL DOORS

Note:

- 1. Overall Length and Width Dimensions are +/- 1/16 inch
- 2. Available as 83" length, 12-15/16" bottom panel

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.


Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-HD-4P BLNK TP-68 009 Revision: B



MASONITE® HD 4-PANEL NARROW BLANK TOP 6'8"-7'0"

MASONITE™ SPEC*



	Α	29-3/4"	
8.9	В	4-3/8"	2'6"
9			2'
		_	

Options:

MASONITE® HD WOOD-EDGE STEEL DOORS MASONITE® HD STEEL-EDGE STEEL DOORS

Note

- 1. Overall Length and Width Dimensions are +/- 1/16 inch
- 2. Available as 83" length, 12-15/16" bottom panel

*Available as Prem Spec


www.masonite.com

Filename: TM-HD-4P NRW BLNK TP-68 010 Revision: B



MASONITE® HD 6-PANEL 6'8"-7'0"

MASONITE™ SPEC*



	Α	31-3/4"	
8.9	В	4-3/8"	2'8"
9			2
	Α	33-3/4"	
8.9	В	5-3/8"	0
9			2'10"
	Α	35-3/4"	
8.9	В	6-3/8"	3'0"
9			3
			1
		-	

Options:

MASONITE® HD WOOD-EDGE STEEL EDGE

MASONITE® HD WOOD-EDGE 20-MINUTE RATED STEEL DOORS

MASONITE® HD STEEL-EDGE STEEL DOORS

MASONITE® HD STEEL-EDGE 90-MINUTE RATED STEEL DOORS

Note

- 1. Overall Length and Width Dimensions are +/- 1/16 inch
- 2. Available as 83" length, 12-15/16" bottom panel

*Available as Prem Spec


www.masonite.com

Filename: TM-HD-6P-68 012



MASONITE® HD 6-PANEL NARROW 6'8"-7'0"

MASONITE™ SPEC*



	Α	29-3/4"	
8.9	В	4-3/8"	2'6"
9			2

Options:

MASONITE® HD WOOD-EDGE STEEL EDGE

MASONITE® HD WOOD-EDGE 20-MINUTE RATED STEEL DOORS

MASONITE® HD STEEL-EDGE STEEL DOORS

MASONITE® HD STEEL-EDGE 90-MINUTE RATED STEEL DOORS

Note:

- 1. Overall Length and Width Dimensions are +/- 1/16 inch
- 2. Available as 83" length, 12-15/16" bottom panel

*Available as Prem Spec


www.masonite.com

Filename: TM-HD-6P NRW-68 013 Revision: B



MASONITE® HD 8-PANEL PARLIAMENT 6'8"

MASONITE™ SPEC*



		1	_
	Α	31-3/4"	
8.9	В	4-3/8"	2'8"
9			2'
	Α	33-3/4"	
-∞	В	5-3/8"	.0
8.9			2'10"
	Α	35-3/4"	
8.9	В	6-3/8"	3'0"
9			3.
			_

Options:

MASONITE® HD WOOD-EDGE STEEL DOORS

MASONITE® HD WOOD-EDGE 20-MINUTE RATED STEEL DOORS

MASONITE® HD STEEL-EDGE STEEL DOORS

MASONITE® HD STEEL-EDGE 90-MINUTE RATED STEEL DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.


Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-HD-8P PLMT-68 014



MASONITE® HD 9-PANEL CAMBER TOP 6'8"

MASONITE™ SPEC



	Α	31-3/4"	
6'8"	В	4-7/16"	2'8"
9			2'
	Α	33-3/4"	
6'8"	В	5-7/16"	2'10"
9			2'1
	Α	35-3/4"	
6'8"	В	6-7/16"	3'0"
9			3.
			1

Options:

MASONITE®HD WOOD-EDGE STEEL DOORS

MASONITE®HD WOOD-EDGE 20-MINUTE RATED STEEL DOORS

MASONITE®HD STEEL-EDGE STEEL DOORS

MASONITE®HD STEEL-EDGE 90-MINUTE RATED STEEL DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.


Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-HD-9P CMBR TP-68 015



MASONITE® HD 2-PANEL PLANK CAMBER-TOP 6'8-7'0"

MASONITE™ SPEC*



	Α	31 3/4"	
6'8"	В	4-3/8"	2'8"
9			2'
	Α	33-3/4"	
6'8"	В	5-3/8"	.0
9			2'10"
	Α	35-3/4"	
6'8"	В	6-3/8"	3'0"
9			3'
			_
			1
	_		

Options:

MASONITE®HD WOOD-EDGE STEEL DOORS
MASONITE®HD WOOD-EDGE 20-MINUTE RATED STEEL DOORS
MASONITE®HD STEEL-EDGE STEEL DOORS
MASONITE®HD STEEL-EDGE 90-MINUTE RATED STEEL DOORS

Note

- 1. Overall Length and Width Dimensions are +/- 1/16 inch
- 2. Available as 83" length, 12-7/8" bottom panel, in 3'-0" width only

*Available as Prem Spec


www.masonite.com

Filename: TM-2P PLNK CMBR TP-68 016



MASONITE® HD FLUSH SIDELITE 6'8"-7'0"

MASONITE™ SPEC*



	1		
	Α	10-3/8"	
8.9			10"
9			1
	Α	11-7/8"	
<u>=</u>			=_
1.8.9			12"
	Α	13-7/8"	
=] <u>=</u>
8.9			14"
			1
			1
			1
			-
			-
			-
	L		<u> </u>

Options:

MASONITE® HD WOOD-EDGE STEEL SIDELITE

- 1. Overall Length and Width Dimensions are +/- 1/16 inch
- 2. Available as 83" length, in 12" and 14" only


*Available as Prem Spec

Filename: TM-HD-FL SL-68 017 Revision: B



MASONITE® HD 2-PANEL UNVERSAL SIDELITE 6'8"

MASONITE™ SPEC*



	Α	11-7/8"	
= ∞	В	1-7/16"	=_
8.9			12"
	Α	12 7/0"	
_		13-7/8"	
8.9	В	2-7/16"	.4"
9			1
-			

Options:

MASONITE® HD WOOD-EDGE STEEL SIDELITE


- Overall Length and Width Dimensions are +/- 1/16 inch
 Flip panel for use with 3/4 lite style door.

*Available as Prem Spec



MASONITE® HD CRAFTSMAN & HOLLISTER SIDELITE 6'8"

MASONITE™ SPEC*



	Α	11-7/8"	
6'8"	В	1-2/5"	12"
9			1.
	Α	13-7/8"	
18.9	В	2-2/5"	14"
9			1,

Options:

MASONITE® HD WOOD-EDGE STEEL SIDELITE


Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec



MASONITE® HD 3-PANEL 7'0" MASONITE™ SPEC



	Α	11-7/8"	
1.0"	В	1-7/16"	=_
7.			12"
	Α	13-7/8"	
-0	В	2-7/16"	=_
1.0"			14"
			+

Options:

MASONITE® HD 7'0" WOOD-EDGE STEEL SIDELITE

Note:

Overall Length and Width Dimensions are +/- 1/16 inch

Section XX XX.X.X