

FICHES TECHNIQUES PORTE D'ACIER

(N300, N600, N700, N900)

STEEL DOOR TECHNICAL SHEETS

INDEX (1/2)

CARACTÉRISTIQUES / SPECIFICATIONS -----4/53

COLLECTION SHAKER / SHAKER COLLECTION

(6'8") Soho **(PS)**-----5/53

(6'8") Victoria Shaker **(PS)**-----6/53

(7'0") Soho **(P12)**-----7/53

(7'0") Victoria Shaker **(P12)**-----8/53

(8'0") Soho - A **(PS)**-----9/53

(8'0") Soho - B **(PS)**-----10/53

COLLECTION DESIGN / DESIGN COLLECTION

(6'8") Era **(PS)**-----11/53

(6'8") Tao **(PS)**-----12/53

(6'8") Vog **(PS)**-----13/53

(6'8") Oso **(PS)**-----14/53

(6'8") Linéa / Linea **(PS)**-----15/53

(6'8") Uno ou Unie / Flush **(PS)**-----16/53

(6'8") Uno ou Unie (latéral) / Flush (Sidelite) **(P0)**-----17/53

(7'0") Era **(P12)**-----18/53

(7'0") Tao **(P12)**-----19/53

(7'0") Vog **(P12)**-----20/53

(7'0") Uno ou Unie / Flush **(P12)**-----21/53

(7'0") Uno ou Unie (latéral) / Flush (Sidelite) **(P0)**-----22/53

(8'0") Tao **(PS)**-----23/53

(8'0") Vog **(PS)**-----24/53

(8'0") Uno ou Unie / Flush **(PS)**-----25/53

(8'0") Uno ou Unie (latéral) / Flush (Sidelite) **(P0)**-----26/53

Légende / Legend

(PS) : Préparé pour pentures - 79" & 95" (positionnement standard) / Prepared for hinges - 79" & 95" (standard positioning)

(P12) : Préparé pour pentures - 84" (positionnement standard) / Prepared for hinges - 84" (standard positioning)

(P0) : Non préparé pour pentures / Not prepared for hinges

INDEX (2/2)

CARACTÉRISTIQUES / SPECIFICATIONS -----4/53

COLLECTION PRESTIGE / PRESTIGE COLLECTION

(6'8")	Orléans / Orleans (PS) -----	27/53
(6'8")	London (PS) -----	28/53
(6'8")	Sydney (PS) -----	29/53
(6'8")	Réversible XE+ (latéral) / Reversible XE+ (Sidelite) (P0) -----	30/53
(7'0")	Orléans / Orleans (P12) -----	31/53
(7'0")	London (P12) -----	32/53
(7'0")	Sydney (P12) -----	33/53
(7'0")	Orléans (latéral) / Orleans (Sidelite) (P0) -----	34/53
(7'0")	London (latéral) / London (Sidelite) (P0) -----	35/53
(8'0")	Orléans - A / Orleans - A (PS) -----	36/53
(8'0")	Orléans - B / Orleans - B (PS) -----	37/53
(8'0")	London (PS) -----	38/53
(8'0")	Orléans (latéral) / Orleans (Sidelite) (P0) -----	39/53

COLLECTION CLASSIQUE / CLASSIC COLLECTION

(6'8")	6P (PS) -----	40/53
(6'8")	4P (PS) -----	41/53
(6'8")	3P tête gendarme / 3P Scroll Top (PS) -----	42/53
(6'8")	2P haut uni / 2P Blank Top (PS) -----	43/53
(6'8")	2P tête cambrée / 2P Camber Top (PS) -----	44/53
(6'8")	2P à lambris - tête cambrée / 2P Planked - Camber Top (PS) -----	45/53
(6'8")	3P XE (latéral) / 3P XE (Sidelite) (P0) -----	46/53
(6'8")	Réversible XE (latéral) / Reversible XE (Sidelite) (P0) -----	47/53
(7'0")	6P (P12) -----	48/53
(7'0")	4P (P12) -----	49/53
(7'0")	3P XE (latéral) / 2P XE (Sidelite) (P0) -----	50/53
(8'0")	6P (PS) -----	51/53
(8'0")	2P haut uni / 2P Blank Top (PS) -----	52/53
(8'0")	1/4P XE (latéral) / 1/4P XE (Sidelite) (P0) -----	53/53

Légende / Legend

(PS) : Préparé pour pentures - 79" & 95" (positionnement standard) / Prepared for hinges - 79" & 95" (standard positioning)

(P12) : Préparé pour pentures - 84" (positionnement standard) / Prepared for hinges - 84" (standard positioning)

(P0) : Non préparé pour pentures / Not prepared for hinges


PORTE 79" DOOR

CARACTÉRISTIQUES / SPECIFICATIONS

LATÉRAL : NON PRÉPARÉ POUR PENTURES SAUF SI SPÉCIFIÉ /
SIDELITE : NOT PREPARED FOR HINGES UNLESS SPECIFIED

N300 - N600 - N700

N900 - N900 (FERCO)




PORTE 84" DOOR



N300 - N600

PORTE 95" DOOR

N900 - N900 (FERCO)



			2'8"	2'10"	3'0"	
A	A	A	31 3/4"	33 3/4"	35 3/4"	A
B	B	B	4 5/16"	5 5/16"	6 5/16"	B
C	C	C	4 7/16"	5 7/16"	6 7/16"	C
			XX-106-005-001-XXX	XX-106-010-001-XXX	XX-106-015-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION



(6'8") Soho (PS)

VERSION

05

5/53

			2'8"	2'10"	3'0"	
A	A	A	A 31 3/4"	A 33 3/4"	A 35 3/4"	A
B	B	B	B 4 5/16"	B 5 5/16"	B 6 5/16"	B
C	C	C	C 4 7/16"	C 5 7/16"	C 6 7/16"	C
			XX-107-005-001-XXX	XX-107-010-001-XXX	XX-107-015-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION



(6'8") Victoria Shaker (PS)

VERSION

05

6/53

			2'8"	2'10"	3'0"	
A	A	A	31 3/4"	33 3/4"	35 3/4"	A
B	B	B	4 5/16"	5 5/16"	6 5/16"	B
C	C	C	4 7/16"	5 7/16"	6 7/16"	C
			XX-106-158-001-XXX	XX-106-159-001-XXX	XX-106-160-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION



(7'0") Soho (P12)

VERSION

05

7/53

			2'8"	2'10"	3'0"	
A	A	A	A 31 3/4"	A 33 3/4"	A 35 3/4"	A
B	B	B	B 4 5/16"	B 5 5/16"	B 6 5/16"	B
C	C	C	C 4 7/16"	C 5 7/16"	C 6 7/16"	C
			XX-107-158-001-XXX	XX-107-159-001-XXX	XX-107-160-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION



(7'0") Victoria Shaker (P12)

VERSION

05

8/53

			2'8"	2'10"	3'0"	
A	A	A	31 3/4"	33 3/4"	35 3/4"	A
B	B	B	4 5/16"	5 5/16"	6 5/16"	B
C	C	C	4 7/16"	5 7/16"	6 7/16"	C
			XX-106-126-001-XXX	XX-106-127-001-XXX	XX-106-128-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION




(8'0") Soho - A (PS)

VERSION

05

9/53

			2'8"	2'10"	3'0"	
A	A	A	31 3/4"	33 3/4"	35 3/4"	A
B	B	B	4 5/16"	5 5/16"	6 5/16"	B
C	C	C	4 7/16"	5 7/16"	6 7/16"	C
			XX-108-126-001-XXX	XX-108-127-001-XXX	XX-108-128-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

 PLAQUE COUP-DE-PIED
 / KICKPLATE
 "D" X 12"

 PORTE 31 3/4" DOOR : D=26"
 PORTE 33 3/4" DOOR : D=28"
 PORTE 35 3/4" DOOR : D=30"

DESCRIPTION


(8'0") Soho - B (PS)

VERSION


05

10/53

			2'8"	2'10"	3'0"	
A	A	A	A 31 3/4"	A 33 3/4"	A 35 3/4"	A
B	B	B	B 19 1/8"	B 20 1/8"	B 20 1/8"	B
C	C	C	C 3 1/2"	C 4 1/2"	C 5 1/2"	C
D	D	D	D 4 5/8"	D 5 5/8"	D 6 5/8"	D
			XX-109-005-001-XXX	XX-109-010-001-XXX	XX-109-015-001-XXX	



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION



(6'8") Era (PS)

VERSION

05

11/53

				2'10"		3'0"	
A	A	A	A	A	33 3/4"	A	35 3/4"
B	B	B	B	B	4 3/8"	B	5 3/8"
C	C	C	C	C	4 1/2"	C	5 1/2"
				XX-090-010-001-XXX		XX-090-015-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION


(6'8") Tao (PS)

VERSION


05

12/53

				2'10"		3'0"	
A	A	A	A	A	33 3/4"	A	35 3/4"
B	B	B	B	B	4 13/16"	B	5 13/16"
C	C	C	C	C	4 29/32"	C	5 29/32"
				XX-076-010-001-XXX		XX-076-015-001-XXX	



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION


(6'8") Vog (PS)

VERSION


05

13/53

				2'10"	3'0"	
A	A	A	A	A 33 3/4"	A 35 3/4"	A
B	B	B	B	B 14 3/8"	B 15 1/8"	B
C	C	C	C	C 3 7/8"	C 4 7/8"	C
D	D	D	D	D 4 3/4"	D 4 3/4"	D
				XX-077-010-001-XXX	XX-077-015-001-XXX	



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION



(6'8") 0so (PS)

VERSION

05

14/53

			2'8"	2'10"	3'0"	
A	A	A	A 31 3/4"	A 33 3/4"	A 35 3/4"	A
B	B	B	B 16 3/16"	B 17 3/16"	B 18 3/16"	B
C	C	C	C 3 21/32"	C 4 21/32"	C 5 21/32"	C
D	D	D	D 4 5/8"	D 5 5/8"	D 6 5/8"	D
			XX-064-005-001-XXX	XX-064-010-001-XXX	XX-064-015-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION



(6'8") Linéa / Linea (PS)

VERSION

05

15/53

2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	3'6"
A 23 3/4"	A 27 3/4"	A 29 3/4"	A 31 3/4"	A 33 3/4"	A 35 3/4"	A 41 3/4"
B n/a	B n/a	B n/a	B n/a	B n/a	B n/a	B n/a
C n/a	C n/a	C n/a	C n/a	C n/a	C n/a	C n/a
XX-001-117-001-XXX	XX-001-003-001-XXX	XX-001-004-001-XXX	XX-001-005-001-XXX	XX-001-010-001-XXX	XX-001-015-001-XXX	XX-001-020-001-XXX


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION



(6'8") Uno ou Unie / Flush (PS)

VERSION

05

16/53

1'0"		1'2"					
A	11 7/8"	A	13 7/8"	A		A	
B	n/a	B	n/a	B		B	
C	n/a	C	n/a	C		C	
XX-001-169-001-XXX		XX-001-173-001-XXX					


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION


(6'8") Uno ou Unie (latéral) / Flush (Sidelite) (P0)

VERSION


05

17/53

				2'10"	3'0"	
A	A	A	A	A 33 3/4"	A 35 3/4"	A
B	B	B	B	B 20 1/8"	B 20 1/8"	B
C	C	C	C	C 4 1/2"	C 5 1/2"	C
D	D	D	D	D 5 5/8"	D 6 5/8"	D
				XX-109-159-001-XXX	XX-109-160-001-XXX	



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION


(7'0") Era (P12)

VERSION


05

18/53

				2'10"		3'0"	
A	A	A	A	A	33 3/4"	A	35 3/4"
B	B	B	B	B	4 3/8"	B	5 3/8"
C	C	C	C	C	4 1/2"	C	5 1/2"
				XX-075-159-001-XXX		XX-075-160-001-XXX	



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION


(7'0") Tao (P12)

VERSION


05

19/53

				2'10"		3'0"	
A	A	A	A	A	33 3/4"	A	35 3/4"
B	B	B	B	B	4 13/16"	B	5 13/16"
C	C	C	C	C	4 29/32"	C	5 29/32"
				XX-076-159-001-XXX		XX-076-160-001-XXX	



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION



(7'0") Vog (P12)

VERSION

05

20/53

			2'8"	2'10"	3'0"	
A	A	A	31 3/4"	33 3/4"	35 3/4"	A
B	B	B	n/a	n/a	n/a	B
C	C	C	n/a	n/a	n/a	C
			XX-001-158-001-XXX	XX-001-159-001-XXX	XX-001-160-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION


(7'0") Uno ou Unie / Flush (P12)

VERSION


05

21/53

1'0"		1'2"					
A	11 7/8"	A	13 7/8"	A		A	
B	n/a	B	n/a	B		B	
C	n/a	C	n/a	C		C	
XX-001-268-001-XXX		XX-001-248-001-XXX					



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION


(7'0") Uno ou Unie (latéral) / Flush (Sidelite) (P0)

VERSION



05

22/53

				2'10"		3'0"	
A	A	A	A	A	33 3/4"	A	35 3/4"
B	B	B	B	B	4 3/8"	B	5 3/8"
C	C	C	C	C	4 1/2"	C	5 1/2"
				XX-090-127-001-XXX		XX-090-128-001-XXX	



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



PORTE 33 3/4" DOOR : D=32"
PORTE 35 3/4" DOOR : D=34"

DESCRIPTION


(8'0") Tao (PS)

VERSION


05

23/53

				2'10"		3'0"	
A	A	A	A	A	33 3/4"	A	35 3/4"
B	B	B	B	B	4 13/16"	B	5 13/16"
C	C	C	C	C	4 29/32"	C	5 29/32"
				XX-176-127-001-XXX		XX-176-128-001-XXX	



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION


(8'0") Vog (PS)

VERSION


05

24/53

			2'8"	2'10"	3'0"	
A	A	A	31 3/4"	33 3/4"	35 3/4"	A
B	B	B	n/a	n/a	n/a	B
C	C	C	n/a	n/a	n/a	C
			XX-001-126-001-XXX	XX-001-127-001-XXX	XX-001-128-001-XXX	



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT





DESCRIPTION

(8'0") Uno ou Unie / Flush (PS)



VERSION

05

25/53

Novatech®		FICHES TECHNIQUES PORTE D'ACIER STEEL DOOR TECHNICAL SHEETS				COLLECTION DESIGN DESIGN COLLECTION	
	1'2"						
A	A	13 7/8"	A	A	A	A	A
B	B	n-a	B	B	B	B	B
C	C	n/a	C	C	C	C	C
XX-001-129-001-XXX							
							
OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT							
							
DESCRIPTION						VERSION	26/53
(8'0") Uno ou Unie (latéral) / Flush (Sidelite) (P0)						05	

			2'8"	2'10"	3'0"	
A	A	A	A 31 3/4"	A 33 3/4"	A 35 3/4"	A
B	B	B	B 4 5/16"	B 5 5/16"	B 6 5/16"	B
C	C	C	C 4 7/16"	C 5 7/16"	C 6 7/16"	C
			XX-063-005-001-XXX	XX-063-010-001-XXX	XX-063-015-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION


(6'8") Orléans / Orleans (PS)

VERSION


05

27/53


			2'8"	2'10"	3'0"	
A	A	A	31 3/4"	33 3/4"	35 3/4"	A
B	B	B	4 5/16"	5 5/16"	6 5/16"	B
C	C	C	4 7/16"	5 7/16"	6 7/16"	C
			XX-068-005-001-XXX	XX-068-010-001-XXX	XX-068-015-001-XXX	




OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



			2'8"	2'10"	3'0"	
A	A	A	31 3/4"	33 3/4"	35 3/4"	A
B	B	B	4 5/16"	5 5/16"	6 5/16"	B
C	C	C	4 7/16"	5 7/16"	6 7/16"	C
			XX-069-005-001-XXX	XX-069-010-001-XXX	XX-069-015-001-XXX	



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION

(6'8") Sydney (PS)


VERSION

05



29/53

1'0"		1'2"		1'5"		1'6"					
A	11 7/8"	A	13 7/8"	A	16 7/8"	A	17 7/8"	A		A	
B	1 3/8"	B	2 3/8"	B	3 7/8"	B	4 3/8"	B		B	
C	1 1/2"	C	2 1/2"	C	4"	C	4 1/2"	C		C	
XX-067-169-001-XXX		XX-067-173-001-XXX		XX-067-245-001-XXX		XX-067-244-001-XXX					

RÉVERSIBLE / REVERSIBLE



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION



(6'8") Réversible XE+ (latéral) / Reversible XE+ (Sidelite) (P0)

VERSION



05

30/53

			2'8"	2'10"	3'0"	
A	A	A	31 3/4"	33 3/4"	35 3/4"	A
B	B	B	4 5/16"	5 5/16"	6 5/16"	B
C	C	C	4 7/16"	5 7/16"	6 7/16"	C
			XX-063-158-001-XXX	XX-063-159-001-XXX	XX-063-160-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT


			2'8"	2'10"	3'0"	
A	A	A	A 31 3/4"	A 33 3/4"	A 35 3/4"	A
B	B	B	B 4 5/16"	B 5 5/16"	B 6 5/16"	B
C	C	C	C 4 7/16"	C 5 7/16"	C 6 7/16"	C
			XX-068-158-001-XXX	XX-068-159-001-XXX	XX-068-160-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION


(7'0") London (P12)

VERSION


05

32/53

			2'8"	2'10"	3'0"	
A	A	A	31 3/4"	33 3/4"	35 3/4"	A
B	B	B	4 5/16"	5 5/16"	6 5/16"	B
C	C	C	4 7/16"	5 7/16"	6 7/16"	C
			XX-069-158-001-XXX	XX-069-159-001-XXX	XX-069-160-001-XXX	




OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT




1'0"		1'2"					
A	11 7/8"	A	13 7/8"	A		A	
B	1 3/8"	B	2 3/8"	B		B	
C	1 1/2"	C	2 1/2"	C		C	
XX-072-268-001-XXX		XX-072-248-001-XXX					

NON RÉVERSIBLE / NOT REVERSIBLE



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION

(7'0") Orléans (latéral) / Orleans (Sidelite) (P0)


VERSION

05


34/53

1'0"		1'2"					
A	11 7/8"	A	13 7/8"	A		A	
B	1 3/8"	B	2 3/8"	B		B	
C	1 1/2"	C	2 1/2"	C		C	
XX-073-268-001-XXX		XX-073-248-001-XXX					

NON RÉVERSIBLE / NOT REVERSIBLE



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION



(7'0") London (latéral) / London (Sidelite) (P0)

VERSION

05

35/53

			2'8"	2'10"	3'0"	
A	A	A	31 3/4"	33 3/4"	35 3/4"	A
B	B	B	4 5/16"	5 5/16"	6 5/16"	B
C	C	C	4 7/16"	5 7/16"	6 7/16"	C
			XX-063-126-001-XXX	XX-063-127-001-XXX	XX-063-128-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION



(8'0") Orléans - A / Orleans - A (PS)

VERSION

05

36/53

			2'8"	2'10"	3'0"	
A	A	A	A 31 3/4"	A 33 3/4"	A 35 3/4"	A
B	B	B	B 4 5/16"	B 5 5/16"	B 6 5/16"	B
C	C	C	C 4 7/16"	C 5 7/16"	C 6 7/16"	C
			XX-163-126-001-XXX	XX-163-127-001-XXX	XX-163-128-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION



(8'0") Orléans - B / Orleans - B (PS)

VERSION

05

37/53

			2'8"	2'10"	3'0"	
A	A	A	31 3/4"	33 3/4"	35 3/4"	A
B	B	B	4 5/16"	5 5/16"	6 5/16"	B
C	C	C	4 7/16"	5 7/16"	6 7/16"	C
			XX-168-126-001-XXX	XX-168-127-001-XXX	XX-168-128-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION

(8'0") London (PS)


VERSION

05


38/53

		1'2"					
A	A	13 7/8"	A	A	A	A	A
B	B	2 3/8"	B	B	B	B	B
C	C	2 1/2"	C	C	C	C	C
		XX-072-129-001-XXX					

NON RÉVERSIBLE / NOT REVERSIBLE



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION

(8'0") Orléans (latéral) / Orleans (Sidelite) (P0)

VERSION

05

39/53

Technical drawing of a door with dimensions and hardware locations. The drawing includes a side view on the left and a front view on the right.

Side View Dimensions:

- Overall height: 79"
- Top section height: 9 1/4"
- Section below top: 4 3/4"
- Width of top section: 23 1/4"
- Overall width: 21 1/4" (NARROW)
- Hardware locations: B (top left), C (top right)


Front View Dimensions:

- Overall height: 65 1/4"
- Top section height: 5"
- Section below top: 7 1/4"
- Section below that: 4 7/16"
- Section below that: 25 9/16"
- Section below that: 6 7/16"
- Section below that: 21 9/16"
- Bottom section height: 8 3/4"


The image contains three technical drawings of door styles, each with dimensions and component labels.

- Standard:**
 - Overall width: 23"
 - Top section height: 5"
 - Section below top section height: 10"
 - Thermos / IG unit: 22 X 9
 - Two glass panes below the unit.
 - Two more glass panes at the bottom.
- Double:**
 - Overall width: 23" (split into two 9" sections)
 - Top section height: 5"
 - Section below top section height: 37"
 - Thermos / IG unit: 8 X 36 (2x) - one for each half of the door.
 - Two glass panes below the units.
- Narrow:**
 - Overall width: 23" (NARROW : 21")
 - Top section height: 5"
 - Section below top section height: 37"
 - Thermos / IG unit: 22 X 36
 - Two glass panes at the bottom.

			2'8"	2'10"	3'0"	
A	A	A	31 3/4"	33 3/4"	35 3/4"	A
B	B	B	4 3/16"	5 3/16"	6 3/16"	B
C	C	C	4 5/16"	5 5/16"	6 5/16"	C
			XX-004-005-001-XXX	XX-004-010-001-XXX	XX-004-015-001-XXX	



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION



(6'8") 4P (PS)

VERSION

05

41/53

			2'8"	2'10"	3'0"	
A	A	A	31 3/4"	33 3/4"	35 3/4"	A
B	B	B	4 5/16"	5 5/16"	6 5/16"	B
C	C	C	4 7/16"	5 7/16"	6 7/16"	C
			XX-018-005-001-XXX	XX-018-010-001-XXX	XX-018-015-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION



(6'8") 3P tête gendarme / 3P Scroll Top (PS)

VERSION

05

42/53

			2'8"	2'10"	3'0"	
A	A	A	A 31 3/4"	A 33 3/4"	A 35 3/4"	A
B	B	B	B 4 5/16"	B 5 5/16"	B 6 5/16"	B
C	C	C	C 4 7/16"	C 5 7/16"	C 6 7/16"	C
			XX-006-005-001-XXX	XX-006-010-001-XXX	XX-006-015-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION



(6'8") 2P haut uni / 2P Blank Top (PS)

VERSION

05

43/53

			2'8"	2'10"	3'0"	
A	A	A	31 3/4"	33 3/4"	35 3/4"	A
B	B	B	4 5/16"	5 5/16"	6 5/16"	B
C	C	C	4 7/16"	5 7/16"	6 7/16"	C
			XX-044-005-001-XXX	XX-044-010-001-XXX	XX-044-015-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION



(6'8") 2P tête cambrée / 2P Camber Top (PS)

VERSION

05

44/53

			2'8"	2'10"	3'0"	
A	A	A	31 3/4"	33 3/4"	35 3/4"	A
B	B	B	4 5/16"	5 5/16"	6 5/16"	B
C	C	C	4 7/16"	5 7/16"	6 7/16"	C
			XX-042-005-001-XXX	XX-042-010-001-XXX	XX-042-015-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION

(6'8") 2P à lambris - tête cambrée / 2P Planked - Camber Top (PS)


VERSION

05


45/53

1'0"		1'2"					
A	11 7/8"	A	13 7/8"	A		A	
B	1 1/4"	B	2 1/4"	B		B	
C	1 3/8"	C	2 3/8"	C		C	
XX-003-169-001-XXX		XX-003-173-001-XXX					

NON RÉVERSIBLE / NOT REVERSIBLE



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION

(6'8") 3P XE (latéral) / 3P XE (Sidelite) (P0)


VERSION

05



46/53

1'0"		1'2"		1'5"		1'6"					
A	11 7/8"	A	13 7/8"	A	16 7/8"	A	17 7/8"	A		A	
B	1 3/8"	B	2 3/8"	B	3 7/8"	B	4 3/8"	B		B	
C	1 1/2"	C	2 1/2"	C	4"	C	4 1/2"	C		C	
XX-029-169-001-XXX		XX-029-173-001-XXX		XX-029-245-001-XXX		XX-029-244-001-XXX					

RÉVERSIBLE / REVERSIBLE



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION



(6'8") Réversible XE (latéral) / Reversible XE (Sidelite) (P0)

VERSION

05

47/53

			2'8"	2'10"	3'0"	
A	A	A	A 31 3/4"	A 33 3/4"	A 35 3/4"	A
B	B	B	B 4 3/16"	B 5 3/16"	B 6 3/16"	B
C	C	C	C 4 5/16"	C 5 5/16"	C 6 5/16"	C
			XX-005-158-001-XXX	XX-005-159-001-XXX	XX-005-160-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION


(7'0") 6P (P12)

VERSION


05

48/53

				2'8"	2'10"	3'0"		
A	A	A	A	31 3/4"	33 3/4"	35 3/4"	A	A
B	B	B	B	4 3/16"	5 3/16"	6 3/16"	B	B
C	C	C	C	4 5/16"	5 5/16"	6 5/16"	C	C
				XX-004-158-001-XXX	XX-004-159-001-XXX	XX-004-160-001-XXX		



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION

(7'0") 4P (P12)


VERSION

05


49/53

1'0"		1'2"					
A	11 7/8"	A	13 7/8"	A		A	
B	1 1/4"	B	2 1/4"	B		B	
C	1 3/8"	C	2 3/8"	C		C	
XX-003-268-001-XXX		XX-003-248-001-XXX					

NON RÉVERSIBLE / NOT REVERSIBLE



OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT



DESCRIPTION



(7'0") 3P XE (latéral) / 3P XE (Sidelite) (P0)

VERSION

05

50/53

			2'8"	2'10"	3'0"	
A	A	A	A 31 3/4"	A 33 3/4"	A 35 3/4"	A
B	B	B	B 4 5/16"	B 5 5/16"	B 6 5/16"	B
C	C	C	C 4 7/16"	C 5 7/16"	C 5 7/16"	C
			58-005-126-001-XXX	58-005-127-001-XXX	58-005-128-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION



(8'0") 6P (PS)

VERSION

05

51/53

			2'8"	2'10"	3'0"	
A	A	A	A 31 3/4"	A 33 3/4"	A 35 3/4"	A
B	B	B	B 4 5/16"	B 5 5/16"	B 6 5/16"	B
C	C	C	C 4 7/16"	C 5 7/16"	C 5 7/16"	C
			XX-006-126-001-XXX	XX-006-127-001-XXX	XX-006-128-001-XXX	


OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION



(8'0") 2P haut uni / 2P Blank Top (PS)

VERSION

05

52/53

		1'2"					
A	A	13 7/8"	A	A	A	A	A
B	B	2 3/8"	B	B	B	B	B
C	C	2 1/2"	C	C	C	C	C
XX-002-129-001-XXX							

RÉVERSIBLE / REVERSIBLE

OUVERTURE SUGGÉRÉE / SUGGESTED CUT-OUT

DESCRIPTION

(8'0") 1/4P XE (latéral) / 1/4P XE (Sidelite) (P0)

VERSION

05

53/53